Test Verification of Conformity

Verification Number: 250522164GZU-VOC001

On the basis of the tests undertaken, the sample<s> of the below product has been tested by an accredited 3rd party laboratory in accordance to the referenced specification<s>/standard<s> at the time the tests were carried out. This verification is part of the full test report<s> and should be read in conjunction with it <them>.

This document can be used in support of a claim in meeting relevant EU legislation and mandatory Conformity Marking. And in accordance with EU / UK law, the claim is the sole obligation of the Manufacturer/ Importer.

Applicant Name & Address:	Huizhou Epever Technology Co., Ltd. No. 6 Laowu Road, Start-up Area of China-Korea (Huizhou) Industrial Park, Zhongkai District, Huizhou City, Guangdong Province, China
Product Description:	On-grid PV Inverter
Ratings & Principal Characteristics:	See appendix of Verification of Conformity
Models/Type References:	SPT8KTL-AM, SPT10KTL-AM, SPT12KTL-AM, SPT15KTL-AM
Brand Names:	EPEVER
Specification<s>/Standards:	IEC/EN 62109-1:2010 IEC/EN 62109-2:2011 Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch. Room101/301/401/102/202/302/402/502/602/702/802, No. 7-2, Caipin Road, Huangpu District, Guangzhou, Guangdong, China
Date of Tests:	28 May 2025 –11 Jun 2025
Test Report Number(s):	250522164GZU-001, 2025-06-12 250522164GZU-002, 2025-06-12

Jason Fu

Signature

Name: Jason Fu
Position: Supervisor
Date: 25 Jun 2025

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 250522164GZU-VOC001

Models	SPT8KTL-AM	SPT10KTL-AM	SPT12KTL-AM	SPT15KTL-AM
PV String Input Data				
Max. Input Voltage (V)	800 Vd.c.			
MPPT Operating Voltage Range (V)	180-760 Vd.c.			
Nominal Input Voltage (V)	450 Vd.c.			
Max. Input Current per MPPT (A)	32 Ad.c.			
Max. Short Circuit Current per MPPT (A)	40 Ad.c.			
Number of MPPTs/Number of Strings per MPPT	2/2			
AC Output Data (On-grid)				
Max. Apparent Power Output to Utility Grid (VA)	8800 VA	11000 VA	13200 VA	15000 VA
Nominal Output to Utility Grid (W)	8000 W	10000 W	12000 W	15000 W
Nominal Output Voltage (V)	120/208, 127/220, 139/240 Va.c., 3+N+PE			
Nominal AC Grid Frequency (Hz)	50/60			
Nominal AC Current Output to Utility Grid (A)	22.2/21/19.2 Aa.c.	27.8/26.3/24 Aa.c.	33.3/31.5/28.8 Aa.c.	41.7/39.4/36 Aa.c.
Max. AC Current Output to Utility Grid (A)	24.5 Aa.c.	30.5 Aa.c.	36.8 Aa.c.	41.8 Aa.c.
Power Factor	0.8 un to 0.8 ov			
General				
Operating Temperature Range [°C]	-30 to +60			
Ingress Protection	IP65			
Protective Class	I			
The Software version	V1.0			

Jason Fu

Signature

Name: Jason Fu
Position: Supervisor
Date: 25 Jun 2025

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.